



Reusable packaging solutions

2024 EDITION



METAL CONTAINERS

• Sheet metal containers

Automotive

PRODUCT DESCRIPTION:

Non-foldable sheet metal container suitable for packaging small parts in bulk or in rows.



Item wcode	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)	Nbr stackable unfolded & empty
00080	780	570	478	740	540	305	130	400	36	5/1
CONS130	780	570	478	740	540	305	121	400	36	5/1
00082	1370	900	730	1310	840	535	590	1000	143	6/1

• Sheet metal containers

Automotive



Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)	Nbr stackable unfolded & empty
4700	800	600	475	712	510	290	105	500	58	5/1
4710	1200	800	750	1120	720	570	460	1500	125	5/1
4730	1600	1200	750	1520	1120	570	970	2000	218	5/1

METAL CONTAINERS

• Sheet metal containers

Automotive



Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Nbr stackable unfolded & empty
V195	1000	600	340	910	510	197	5/1
V154	1000	600	572	910	510	420	5/1
V149	1200	1000	612	1110	910	440	5/1
V196	1200	1000	751	1110	910	595	5/1
V203	1600	1200	1005	1510	1110	830	5/1
V210	1400	800	670	1310	710	500	5/1
V211	1500	800	670	1410	710	500	5/1
V212	1800	800	670	1710	710	500	5/1

• Metal mesh and wire containers

Automotive

Foldable metal mesh containers with removable mesh panels on the long sides
The container 00081 is available with plastic cladding (00104)



Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Folded height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)	Nbr stackable unfolded & empty	Nbr stackable folded	Half-folding side
00081	1150	800	730	300	1080	720	500	390	1000	71	5/1	17/1	no
00085	1600	1150	1070	353	1530	1070	835	1370	1500	147	5/1	19/1	4 sides

METAL CONTAINERS

• Metal mesh and wire containers

Automotive

Foldable metal mesh containers

00126: one-piece sheet metal panels on 4 sides, mesh panels lined with sheet metal

00123: also available with transparent cladding for the mesh panels (00136) and also with half-folding panels on the long sides (00113)

00114: also available with transparent cladding for the mesh panels (00124)



Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Folded height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)	Nbr stackable unfolded & empty	Half-folding side	Removable
00126	1600	1150	670	353	1490	1040	420	650	1000	140	—	no	short sides
00123	1200	1000	910	410	1085	880	680	650	1000	125	—	4 sides	short sides
00114	1600	1150	920	353	1490	1040	680	1050	1000	170	—	4 sides	4 sides
00136	2300	1600	690	423	2210	1500	400	1320	1500	238	—	no	4 sides
4760	2400	1200	750	420	2310	1110	560	1436	800	318	4/1	—	—

• Metal wire mesh containers

Automotive

- Ideal for storing heavy products
- Practical design
- Durable and resistant



Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Folded height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)	Nbr stackable unfolded & empty	Nbr stackable folded	Half-folding side	Removable	Folding
SLI760RN	1200	1000	930	330	1120	920	730	720	1000	94	2/1	7/1	1 long + 1 short side	no	yes
SLI0120	780	570	475	NA	740	530	300	120	250	21	5/1	—	1 long side	—	no
SLI0901RN	1600	1200	750	330	1520	1120	530	—	1000	120	2/1	8/1	1 long + 1 short side	no	yes
SLI1200RN	1600	1200	930	330	1520	1120	700	1200	1500	139	5/1	17/1	1 long + 1 short side	no	yes

METAL CONTAINERS

• Foldable wire containers Logistics, waste processing, winegrowing

A robust container and optimised storage

- Stackable and rackable
- Sturdy: steel wire structure
- Practical: 4 self-locking handles
- Ergonomics: folding half-door on the long side for better access to the bottom of the container



Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Folded height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)
CPFIL870X620	870	620	680	—	775	570	565	250	300	23
CPFIL1200X800	1198	799	1001	—	1123	751	860	275	1000	52
TECHNIFIL/R	1158	870	996	291	1063	811	859	734	800	56
PM1200X800/R	1200	800	980	325	1120	730	810	662	1000	44
DEE/1M3	1200	1000	1150	325	1125	965	1010	1000	1000	59

• Reinforced foldable wire containers Logistics, waste processing, winegrowing

Ideal for storing your products in complete safety

- Practical and ergonomic: door for easy picking
- Rackable



Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)
ETM600	1170	1000	760	1107	906	583	585	500	77
ETM1400	1412	1140	1200	1320	1090	1000	1400	400	108
ETM2000	1900	1200	1200	1850	1150	950	2000	1500	210

METAL CONTAINERS

• Gitterbox

Automotive

EUROPOOL Gitterbox mesh pallet boxes are very robust, stackable mesh containers designed for intensive use thanks to their steel structure with a dynamic load capacity of 1500 kg.

Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Payload (kg)	Empty weight (kg)
GITTERBOX	835	1240	970	800	1200	800	1500	70



METAL ROLL CONTAINERS

• Roll Europe 800x1200

Logistics, supermarkets, food processing



This is a universal roll container with standard European dimensions: 1200 x 800 mm.

It can be used to prepare, deliver and store all your products and goods.

- Rigid one-piece steel wire structure with side panels bolted to the base
- 6 Ø125 polyamide castors (2 fixed + 2 swivelling)
- The roll container must be pushed on the swivelling castor side
- 2 front doors with central lock
- Corner bumpers
- Document holder
- Chromium 3 reinforced white electro-galvanised coating with Organic Mineral Finish compliant with Directive 1935-2004 regarding suitability for contact with foodstuffs and certified chromium 6-free
- Corrosion resistance: NF ISO 9227 type NSS
- Trolley compliant with standard NF H 50-501 1 and 2

Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Payload (kg)	Empty weight (kg)
Roll Europe	1200	800	1850	1144	743	1645	450	71

• Roll 600x400

Logistics, supermarkets, food processing



This small universal roll container can be used to prepare, deliver and store your goods. It is particularly suitable for transporting 600x400 mm crates or boxes.

The shelves can be set at different heights.

- Removable side and rear panels for optimised empty storage
- 4 Ø100 mm swivelling castors with elastomer tyres
- With anti-fall elastic straps
- Document holder
- Chromium 3 reinforced white electro-galvanised coating with Organic Mineral Finish compliant with Directive 1935-2004 on suitability for food contact and certified chromium 6-free.
- Corrosion resistance: NF ISO 9227 type NSS

Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Payload (kg)	Empty weight (kg)
Roll 600X400	680	475	1680	615	415	1530	180	27

METAL ROLL CONTAINERS

• Secure multi-roll container Logistics, supermarkets, food processing



This versatile roll container enables loads to be transported securely.

- Ø125 polypropylene castors (2 fixed + 2 swivelling)
- Tamper-proof roll container top
- One-piece structure with side panels bolted to the base
- Chromium 3 reinforced white electro-galvanised coating with Organic Mineral Finish compliant with Directive 1935-2004 regarding suitability for contact with foodstuffs and certified chromium 6-free
- Corrosion resistance: NF ISO 9227 type NSS
- Effective dimensions: 620 x 690 x h 1670 mm
- Mesh size 70 x 55 mm

Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Payload (kg)	Empty weight (kg)
Secure Multi Roll Container	700	786	1868	620	690	1670	450	50

• Dismantlable roll container Logistics, supermarkets, food processing



This roll container is particularly suited for retailers.

It is economical and can be returned empty with 300 roll containers per lorry.

- Instant assembly and disassembly
- Stackable bases for empty transport: 12 roll containers take up the space of 2
- Sheet metal label holder welded to side panel
- 2 elastic straps
- Ø125 castors with polypropylene thread guards
- Optional shelves and back panel
- Side panels made of Ø25 mm tube
- Base mesh reinforced with flat bars
- Bottom mesh: 170 x 40 mm
- Side mesh: 280 x 140 mm
- Available in height 1700 mm

Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Payload (kg)	Empty weight (kg)
Dismantlable roll container	720	806	1700	657	793	1518	—	25
Dismantlable roll container	720	806	1890	657	793	1708	500	27.20

TROLLEYS AND DOLLIES

• Trolley 800x600

Industry



This trolley is suitable for transporting 600 x 400 or 300 x 400 mm plastic crates.

Used for just-in-time supply of parts and products to production lines, lean manufacturing concept.

- Reinforced steel chassis
- 2 fixed and 2 swivelling castors, Ø125 mm
- Wheel with elastomer tyre to reduce marks on the ground
- Chromium 6-free white electro-galvanisation anti-corrosion treatment
- Label holder
- Can be delivered unassembled

Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Int. height (mm)	Payload (kg)	Empty weight (kg)
TROLLEY 800X600	950	680	1600	810	610	1390	200	62

• Dolly 1200x800

Industry



This dolly is suitable for transporting 1200 x 800 Euro-pallets.

Modular product with many variants for handling products around just-in-time production lines, lean manufacturing concept.

- Reinforced welded tubular chassis
- Bottom plate 244 mm from the floor
- 2 fixed and 2 swivelling castors, Ø160 mm
- Wheel with elastomer tyre
- Traction speed 6 km/h with deceleration on bends
- 4 corner locators to centre the pallet and prevent it from slipping
- Long-lasting chromium 6-free anti-corrosion treatment

Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)
DOLLY 1200X800	1260	863	925	1208	810	2000	500	45

• Dolly 800x600

Industry



This dolly is suitable for transporting 600 x 400 mm plastic crates.

Just-in-time supply of parts and products to production lines, lean manufacturing concept.

- Reinforced steel wire frame and base
- 2 fixed and 2 swivelling castors, Ø125 mm
- Wheel with elastomer tyre to reduce marks on the ground
- Long-lasting chromium-free anti-corrosion treatment

Item code	Ext. length (mm)	Ext. width (mm)	Ext. height (mm)	Int. length (mm)	Int. width (mm)	Capacity (L)	Payload (kg)	Empty weight (kg)
DOLLY 800X600	886	670	915	830	630	1000	200	20

• Dolly 600x400

Industry



Dolly for transporting standard 600 x 400 or 300 x 400 crates, centred to prevent them from slipping.

Used for just-in-time delivery to production lines, trolleys hook together to form a train.

- 2 fixed and 2 swivelling castors, Ø100 mm
- Wheels with grey rubber tyres that leave no marks on the ground
- Removable drawbar for rapid after-sales servicing
- Hook, Ø10 mm
- Maximum number of loaded dollies in a train: 6
- Traction speed: 4 km/h
- Reinforced steel wire structure
- Compatible with existing fleet
- Long-lasting chromium 6-free anti-corrosion treatment

Item code	Ext. length (mm)	Ext. width (mm)	Payload (kg)	Empty weight (kg)
DOLLY 600X400	600	400	180	8

